Index of Papers Published in 1986

Authors Index

A

Arastoopour, H. and Newberg, M.: *Analysis of the Flow of Gas Through Low-Permeability Porous Media*, (Tech. Paper SPE14705) SPERE Nov., 86 647-653

Aziz, K. and Pedrosa Jr., O.A.: *Use of Hybrid Grid in Reservoir Simulation*, (Tech. Paper SPE13507) SPERE Nov., 86 611-621

Aziz, K. and Firoozbadi, A.: *Analysis and Correlation of Nitrogen and Lean Gas Miscibility Pressure*, (Tech. Paper SPE13669) SPERE Nov., 86 575-582

B

Bae, J.H. and Petrick, C.B.: *Glenn Pool Surfactant Flood Pilot Test: Comparison of Laboratory and Observation Well Data*, (Tech. Paper SPE12694) SPERE Nov., 86 593-603

Behrens, R.A. et al.: *A Generalized Method for Predicting Gas/Oil Miscibility*, (Tech. Paper SPE12346) SPERE Sept., 86 463-473

Biberdorf, O.C.: *Miscible Flood Forecasting Technique at Judy Creek*, (Tech. Paper SPE12630) SPERE Sept., 86 453-462

Bolsman, T.A.B.M. and Daane, G.J.R.: *Effect of Surfactant Structure on Phase Behavior of Alkylxylenesulfonate/Crude-Oil/Brine Systems*, (Tech. Paper SPE11770) SPERE Jan., 86 53-60

Brett, V.S. and Mayer, E. H.: *Alkaline Flood Prediction Studies, Ranger VII Pilot, Wilmington Field, California*, (Tech. Paper SPE10720) SPERE Jan., 86 9-22

Bridges, J. E. et al.: *Recovery of Bitumen From Tar Sand Deposits With the Radio Frequency Process*, (Tech. Paper SPE10229) SPERE Jan., 86 85-94

Brigham, W. E. et al.: *Effect of Mixed-Chain-Length Surfactants on Fluid Displacement in Porous Media by In-Situ Foaming Process*, (Tech. Paper SPE10612) SPERE May, 86 253-260

Brigham, W.E.: *Mixing Equations in Various Geometries*, (Tech. Paper SPE4585) SPERE Mar., 86 203-208

C

Capjack, C. E. et al.: *Numerical Simulation Results for the Electrical Heating of Athabasca Oil-Sand Formations*, (Tech. Paper SPE13013) SPERE Jan., 86 76-84

Chang, D.M. et al.: *History Matching and Predicting GOR Behavior With Analytical Functions*, (Tech. Paper SPE12763) SPERE May, 86 300-312

Christ, F. R. and Cohen, Y.: *Polymer Retention and Adsorption in the Flow of Polymer Solutions Through Porous Media*, (Tech. Paper SPE12942) SPERE Mar., 86 113-118

Chute, F. S. et al.: *Numerical Simulation Results for the Electrical Heating of Athabasca Oil-Sand Formations*, (Tech. Paper SPE13013) SPERE Jan., 86 76-84

Coats, K.H. and Smart, G.T.: *Application of a Regression-Based EOS PVT Program to Laboratory Data*, (Tech. Paper SPE11197) SPERE May, 86 277-299

Coca, B.P.: *Discussion of An Analytical Extension of the Dykstra-Parsons Vertical Stratification Discrete Solution to a Continuous, Real-Time Basis*, (Discussion SPE14695) SPERE Mar., 86 171-173

Cohen, Y. and Christ, F. R.: *Polymer Retention and Adsorption in the Flow of Polymer Solutions Through Porous Media*, (Tech. Paper SPE12942) SPERE Mar., 86 113-118

Collins, H.N. and Wang, S.T.: *Further Discussion of the Effect of Crossflow on Waterflooding of Stratified Reservoirs*, (Discussion SPE15043) SPERE Jan., 86 73

Creek, J.L. et al.: *A Laboratory Study of Wilmington Tar Zone CO2 Injection Project*, (Tech. Paper SPE12751) SPERE Jan., 86 95-104

D

Daane, G.J.R. and Bolsman, T.A.B.M.: *Effect of Surfactant Structure on Phase Behavior of Alkylxylenesulfonate/Crude-Oil/Brine Systems*, (Tech. Paper SPE11770) SPERE Jan., 86 53-60

Davis, H.T. et al.: *Multicomponent CO2/Water/Hydrocarbon Phase Behavior Modeling: A Comparative Study*, (Tech. Paper SPE11961) SPERE Jan., 86 61-72

DeZabala, E. F. and Radke, C. J.: *A Nonequilibrium Description of Alkaline Waterflooding*, (Tech. Paper SPE11213) SPERE Jan., 86 29-43

Dev, H. et al.: *Recovery of Bitumen From Tar Sand Deposits With the Radio Frequency Process*, (Tech. Paper SPE10229) SPERE Jan., 86 85-94

Di Julio, S.S. et al.: *A Laboratory Study of Wilmington Tar Zone CO2 Injection Project*, (Tech. Paper SPE12751) SPERE Jan., 86 95-104

Dietrich, J.K.: *Cyclic Steaming of Tar Sands Through Hydraulically Induced Fractures*, (Tech. Paper SPE11684) SPERE May, 86 217-229

Dodd, C.G. et al.: *A Postflood Evaluation Test of the North Burbank Surfactant/Polymer Pilot*, (Tech. Paper SPE12695) SPERE July, 86 341-353

Duerksen, J.H.: *Laboratory Study of Foaming Surfactants as Steam-Diverting Additives*, (Tech. Paper SPE12785) SPERE Jan., 86 44-52

Durrant, A. J. and Thambynayagam, R.K.M.: *Wellbore Heat Transmission and Pressure Drop for Steam/Water Injection and Geothermal Production: A Simple Solution Technique*, (Tech. Paper SPE12939) SPERE Mar., 86 148-162

E

Economides, M.J. and Miller, F.G.: *Geothermal Reservoir Evaluation Considering Fluid Adsorption and Composition*, (Tech. Paper SPE12740) SPERE Mar., 86 131-147

El-Khatib, N.: *Discussion of Modification of Welge's Method of Shock Front Location in Buckley-Leverett Problem for Nonzero Initial Condition*, (Discussion SPE15193) SPERE July, 86 431-432

El-Khatib, N.: *Author's Reply to Further Discussion of the Effect of Crossflow on Waterflooding of Stratified Reservoirs*, (Rebuttal SPE15191) SPERE Jan., 86 74-75

Emanuel, A.S. et al.: *A Generalized Method for Predicting Gas/Oil Miscibility*, (Tech. Paper SPE12346) SPERE Sept., 86 463-473

Emanuel, A.S. et al.: *A Laboratory Study of Wilmington Tar Zone CO2 Injection Project*, (Tech. Paper SPE12751) SPERE Jan., 86 95-104

Enick, R.M. and Reznik, A.A.: *Authors' Reply to Discussion of an Analytical Extension of the Dykstra-Parsons Vertical Stratification Discrete Solution to a Continuous, Real-Time Basis*, (Rebuttal SPE14873) SPERE Mar., 86 174

Ertekin, T. et al.: *A Parametric Study of the Effects of Coal Seam Properties on Gas Drainage Efficiency*, (Tech. Paper SPE13366) SPERE Nov., 86 633-646

Index of Papers Published in 1986

Authors Index

A

Arastoopour, H. and Newberg, M.: *Analysis of the Flow of Gas Through Low-Permeability Porous Media*, (Tech. Paper SPE14705) SPERE Nov., 86 647-653

Aziz, K. and Pedrosa Jr., O.A.: *Use of Hybrid Grid in Reservoir Simulation*, (Tech. Paper SPE13507) SPERE Nov., 86 611-621

Aziz, K. and Firoozbadi, A.: *Analysis and Correlation of Nitrogen and Lean Gas Miscibility Pressure*, (Tech. Paper SPE13669) SPERE Nov., 86 575-582

B

Bae, J.H. and Petrick, C.B.: *Glenn Pool Surfactant Flood Pilot Test: Comparison of Laboratory and Observation Well Data*, (Tech. Paper SPE12694) SPERE Nov., 86 593-603

Behrens, R.A. et al.: *A Generalized Method for Predicting Gas/Oil Miscibility*, (Tech. Paper SPE12346) SPERE Sept., 86 463-473

Biberdorf, O.C.: *Miscible Flood Forecasting Technique at Judy Creek*, (Tech. Paper SPE12630) SPERE Sept., 86 453-462

Bolsman, T.A.B.M. and Daane, G.J.R.: *Effect of Surfactant Structure on Phase Behavior of Alkylxylenesulfonate/Crude-Oil/Brine Systems*, (Tech. Paper SPE11770) SPERE Jan., 86 53-60

Brett, V.S. and Mayer, E. H.: *Alkaline Flood Prediction Studies, Ranger VII Pilot, Wilmington Field, California*, (Tech. Paper SPE10720) SPERE Jan., 86 9-22

Bridges, J. E. et al.: *Recovery of Bitumen From Tar Sand Deposits With the Radio Frequency Process*, (Tech. Paper SPE10229) SPERE Jan., 86 85-94

Brigham, W. E. et al.: *Effect of Mixed-Chain-Length Surfactants on Fluid Displacement in Porous Media by In-Situ Foaming Process*, (Tech. Paper SPE10612) SPERE May, 86 253-260

Brigham, W.E.: *Mixing Equations in Various Geometries*, (Tech. Paper SPE4585) SPERE Mar., 86 203-208

C

Capjack, C. E. et al.: *Numerical Simulation Results for the Electrical Heating of Athabasca Oil-Sand Formations*, (Tech. Paper SPE13013) SPERE Jan., 86 76-84

Chang, D.M. et al.: *History Matching and Predicting GOR Behavior With Analytical Functions*, (Tech. Paper SPE12763) SPERE May, 86 300-312

Christ, F. R. and Cohen, Y.: *Polymer Retention and Adsorption in the Flow of Polymer Solutions Through Porous Media*, (Tech. Paper SPE12942) SPERE Mar., 86 113-118

Chute, F. S. et al.: *Numerical Simulation Results for the Electrical Heating of Athabasca Oil-Sand Formations*, (Tech. Paper SPE13013) SPERE Jan., 86 76-84

Coats, K.H. and Smart, G.T.: *Application of a Regression-Based EOS PVT Program to Laboratory Data*, (Tech. Paper SPE11197) SPERE May, 86 277-299

Coca, B.P.: *Discussion of An Analytical Extension of the Dykstra-Parsons Vertical Stratification Discrete Solution to a Continuous, Real-Time Basis*, (Discussion SPE14695) SPERE Mar., 86 171-173

Cohen, Y. and Christ, F. R.: *Polymer Retention and Adsorption in the Flow of Polymer Solutions Through Porous Media*, (Tech. Paper SPE12942) SPERE Mar., 86 113-118

Collins, H.N. and Wang, S.T.: *Further Discussion of the Effect of Crossflow on Waterflooding of Stratified Reservoirs*, (Discussion SPE15043) SPERE Jan., 86 73

Creek, J.L. et al.: *A Laboratory Study of Wilmington Tar Zone CO2 Injection Project*, (Tech. Paper SPE12751) SPERE Jan., 86 95-104

D

Daane, G.J.R. and Bolsman, T.A.B.M.: *Effect of Surfactant Structure on Phase Behavior of Alkylxylenesulfonate/Crude-Oil/Brine Systems*, (Tech. Paper SPE11770) SPERE Jan., 86 53-60

Davis, H.T. et al.: *Multicomponent CO2/Water/Hydrocarbon Phase Behavior Modeling: A Comparative Study*, (Tech. Paper SPE11961) SPERE Jan., 86 61-72

DeZabala, E. F. and Radke, C. J.: *A Nonequilibrium Description of Alkaline Waterflooding*, (Tech. Paper SPE11213) SPERE Jan., 86 29-43

Dev, H. et al.: *Recovery of Bitumen From Tar Sand Deposits With the Radio Frequency Process*, (Tech. Paper SPE10229) SPERE Jan., 86 85-94

Di Julio, S.S. et al.: *A Laboratory Study of Wilmington Tar Zone CO2 Injection Project*, (Tech. Paper SPE12751) SPERE Jan., 86 95-104

Dietrich, J.K.: *Cyclic Steaming of Tar Sands Through Hydraulically Induced Fractures*, (Tech. Paper SPE11684) SPERE May, 86 217-229

Dodd, C.G. et al.: *A Postflood Evaluation Test of the North Burbank Surfactant/Polymer Pilot*, (Tech. Paper SPE12695) SPERE July, 86 341-353

Duerksen, J.H.: *Laboratory Study of Foaming Surfactants as Steam-Diverting Additives*, (Tech. Paper SPE12785) SPERE Jan., 86 44-52

Durrant, A. J. and Thambynayagam, R.K.M.: *Wellbore Heat Transmission and Pressure Drop for Steam/Water Injection and Geothermal Production: A Simple Solution Technique*, (Tech. Paper SPE12939) SPERE Mar., 86 148-162

E

Economides, M.J. and Miller, F.G.: *Geothermal Reservoir Evaluation Considering Fluid Adsorption and Composition*, (Tech. Paper SPE12740) SPERE Mar., 86 131-147

El-Khatib, N.: *Discussion of Modification of Welge's Method of Shock Front Location in Buckley-Leverett Problem for Nonzero Initial Condition*, (Discussion SPE15193) SPERE July, 86 431-432

El-Khatib, N.: *Author's Reply to Further Discussion of the Effect of Crossflow on Waterflooding of Stratified Reservoirs*, (Rebuttal SPE15191) SPERE Jan., 86 74-75

Emanuel, A.S. et al.: *A Generalized Method for Predicting Gas/Oil Miscibility*, (Tech. Paper SPE12346) SPERE Sept., 86 463-473

Emanuel, A.S. et al.: *A Laboratory Study of Wilmington Tar Zone CO2 Injection Project*, (Tech. Paper SPE12751) SPERE Jan., 86 95-104

Enick, R.M. and Reznik, A.A.: *Authors' Reply to Discussion of an Analytical Extension of the Dykstra-Parsons Vertical Stratification Discrete Solution to a Continuous, Real-Time Basis*, (Rebuttal SPE14873) SPERE Mar., 86 174

Ertekin, T. et al.: *A Parametric Study of the Effects of Coal Seam Properties on Gas Drainage Efficiency*, (Tech. Paper SPE13366) SPERE Nov., 86 633-646

Evans, R. D. and Nakornthap, K.: *Temperature-Dependent Relative Permeability and Its Effect on Oil Displacement by Thermal Methods*, (Tech. Paper SPE11217) SPERE May, 86 230-242

F

Farouq Ali, S.M. and Oguztoreli, M.: *A Mathematical Model for the Solvent Leaching of Tar Sand*, (Tech. Paper SPE12256) SPERE Nov., 86 545-555

Fassihi, M.R.: *New Correlations for Calculation of Vertical Coverage and Areal Sweep Efficiency*, (Tech. Paper SPE13945) SPERE Nov., 86 604-606

Finlayson, B.A. and Jensen, O.K.: *A Numerical Technique for Tracking Sharp Fronts in Studies of Tertiary Oil-Recovery Pilots*, (Tech. Paper SPE12240) SPERE Mar., 86 194-202

Firoozbadi, A. and Aziz, K.: *Analysis and Correlation of Nitrogen and Lean Gas Miscibility Pressure*, (Tech. Paper SPE13669) SPERE Nov., 86 575-582

Friedmann, F.: *Surfactant and Polymer Losses During Flow Through Porous Media*, (Tech. Paper SPE11779) SPERE May, 86 261-271

G

Garon, A.M. *et al.*: *A Laboratory Investigation of Sweep During Oxygen and Air Fireflooding*, (Tech. Paper SPE12676) SPERE Nov., 86 565-574

Gillis, J.V. *et al.*: *Dispersion Attendant Sodium/Hydrogen Ion Exchange in Reservoir Sands*, (Tech. Paper SPE14708) SPERE Nov., 86 607-610

Gilman, J.R.: *An Efficient Finite Difference Method for Simulating Phase Segregation in the Matrix Blocks in Double-Porosity Reservoirs*, (Tech. Paper SPE12271) SPERE July, 86 403-413

Green, D.W. *et al.*: *An Experimental Study of the In-Situ Gelation of Chromium(+3)/Polyacrylamide Polymer in Porous Media*, (Tech. Paper SPE12638) SPERE Nov., 86 583-592

Gross, S.J. and Poston, S.W.: *Numerical Simulation of Reservoir Sandstone Models*, (Tech. Paper SPE13135) SPERE July, 86 423-429

Gudmundsson, J.S. *et al.*: *Streamtube Relative-Permeability Functions for Flashing Steam/Water Flow in Fractures*, (Tech. Paper SPE11686) SPERE July, 86 371-377

Gupta, A.D. *et al.*: *A Symmetric, Positive Definite Formulation of a Three-Dimensional Micellar/Polymer Simulator*, (Tech. Paper SPE13504) SPERE Nov., 86 622-632

H

Haldorsen, H.H. *et al.*: *History Matching and Predicting GOR Behavior With Analytical Functions*, (Tech. Paper SPE12763) SPERE May, 86 300-312

Hamoodi, A.N.: *Discussion of Generalized Minimum Miscibility Pressure Correlation*, (Discussion SPE15845) SPERE Sept., 86 535

Hartman, K.J. and Shu, W.R.: *Thermal Visbreaking of Heavy Oil During Steam-Recovery Processes*, (Tech. Paper SPE12783) SPERE Sept., 86 474-482

Hiebert, A. D. *et al.*: *Numerical Simulation Results for the Electrical Heating of Athabasca Oil-Sand Formations*, (Tech. Paper SPE13013) SPERE Jan., 86 76-84

Hirasaki, G.J. and Lawson, J.B.: *An Electrostatic Approach to the Association of Sodium and Calcium With Surfactant Micelles*, (Tech. Paper SPE10921) SPERE Mar., 86 119-130

Hjelmeland, O.S. and Larrondo, L.E.: *Experimental Investigation of the Effects of Temperature, Pressure, and Crude Oil Composition on Interfacial Properties*, (Tech. Paper SPE12124) SPERE July, 86 321-328

Holm, L.W.: *Mobilization of Waterflood Residual Oil by Miscible Fluids*, (Tech. Paper SPE13216) SPERE July, 86 354-362

Horne, R.N. *et al.*: *Streamtube Relative-Permeability Functions for Flashing Steam/Water Flow in Fractures*, (Tech. Paper SPE11686) SPERE July, 86 371-377

Huang, A.B. and Yortsos, Y.C.: *Linear-Stability Analysis of Immiscible Displacement: Part 1—Simple Basic Flow Profiles*, (Tech. Paper SPE12692) SPERE July, 86 378-390

Huang, C.G. *et al.*: *An Experimental Study of the In-Situ Gelation of Chromium(+3)/Polyacrylamide Polymer in Porous Media*, (Tech. Paper SPE12638) SPERE Nov., 86 583-592

J

Jensen, J.A. *et al.*: *Dispersion Attendant Sodium/Hydrogen Ion Exchange in Reservoir Sands*, (Tech. Paper SPE14708) SPERE Nov., 86 607-610

Jensen, O.K. and Finlayson, B.A.: *A Numerical Technique for Tracking Sharp Fronts in Studies of Tertiary Oil-Recovery Pilots*, (Tech. Paper SPE12240) SPERE Mar., 86 194-202

Jha, K.N. and Verkoczy, B.: *The Role of Thermal Analysis Techniques in the In-Situ Combustion Process*, (Tech. Paper SPE12677) SPERE July, 86 329-340

K

Karakas, M. *et al.*: *Displacement of a Viscous Oil by the Combined Injection of Hot Water and Chemical Additive*, (Tech. Paper SPE12560) SPERE July, 86 391-402

Kerig, P. D. and Watson, A. T.: *Relative-Permeablity Estimation From Displacement Experiments: An Error Analysis*, (Tech. Paper SPE12589) SPERE Mar., 86 175-182

Kilpatrick, P.K. *et al.*: *Multicomponent CO2/Water/Hydrocarbon Phase Behavior Modeling: A Comparative Study*, (Tech. Paper SPE11961) SPERE Jan., 86 61-72

King, G.R. *et al.*: *A Parametric Study of the Effects of Coal Seam Properties on Gas Drainage Efficiency*, (Tech. Paper SPE13366) SPERE Nov., 86 633-646

Kirwan, P.A. *et al.*: *History Matching and Predicting GOR Behavior With Analytical Functions*, (Tech. Paper SPE12763) SPERE May, 86 300-312

Kravaris, C. *et al.*: *History Matching by Spline Approximation And Regularization in Single-Phase Areal Reservoirs*, (Tech. Paper SPE13931) SPERE Sept., 86 521-534

Kuan, D.Y. *et al.*: *Multicomponent CO2/Water/Hydrocarbon Phase Behavior Modeling: A Comparative Study*, (Tech. Paper SPE11961) SPERE Jan., 86 61-72

Kumar, M. *et al.*: *A Laboratory Investigation of Sweep During Oxygen and Air Fireflooding*, (Tech. Paper SPE12676) SPERE Nov., 86 565-574

L

Langhoff, J.A. and Wu, C.H.: *Calculation of High-Temperature Crude-Oil/Water/Vapor Separations Using Simulated Distillation Data*, (Tech. Paper SPE13075) SPERE Sept., 86 483-489

Larrondo, L.E. and Hjelmeland, O.S.: *Experimental Investigation of the Effects of Temperature, Pressure, and Crude Oil Composition on Interfacial Properties*, (Tech. Paper SPE12124) SPERE July, 86 321-328

Larsen, L. and Lichamar, T.: *Matching Simulator Wellblock Pressures With Observed Buildup Pressures in Two-Layer Reservoirs*, (Tech. Paper SPE12155) SPERE Mar., 86 183-193

Lau, K.K. *et al.*: *A Laboratory Investigation of Sweep During Oxygen and Air Fireflooding*, (Tech. Paper SPE12676) SPERE Nov., 86 565-574

Lawson, J.B. and Hirasaki, G.J.: *An Electrostatic Approach to the Association of Sodium and Calcium With Surfactant Micelles*, (Tech. Paper SPE10921) SPERE Mar., 86 119-130

Lee, T. *et al.*: *History Matching by Spline Approximation And Regularization in Single-Phase Areal Reservoirs*, (Tech. Paper SPE13931) SPERE Sept., 86 521-534

Lehner, F. K.: *Critical Water-Free Production Rates and Gravity-Drainage Rates for Multiwell Systems*, (Tech. Paper SPE11596) SPERE Sept., 86 363-370

Leung, W.F.: *A New Pseudosteady-State Model for Dual-Porosity/Dual-Permeability Aquifers and Two Interconnected Single-Porosity Aquifers*, (Tech. Paper SPE12277) SPERE Sept., 86 511-520

Leung, W.F.: *A Fast Convolution Method for Implementing Single-Porosity Finite/Infinite Aquifer Models for Water-Influx Calculations*, (Tech. Paper SPE12276) SPERE Sept., 86 490-510

Li, Y.K. and Nghiem, L.X.: *Effect of Phase Behavior on CO2 Displacement Efficiency at Low Temperatures: Model Studies With an Equation of State*, (Tech. Paper SPE13116) SPERE July, 86 414-422

Lim, T. *et al.*: *The Interpretation of Screen-Factor Measurements*, (Tech. Paper SPE12285) SPERE May, 86 272-276

Litchamar, T. and Larsen, L.: *Matching Simulator Wellblock Pressures With Observed Buildup Pressures in Two-Layer Reservoirs*, (Tech. Paper SPE12155) SPERE Mar., 86 183-193

Lorenz, P.B. *et al.*: *A Postflood Evaluation Test of the North Burbank Surfactant/Polymer Pilot*, (Tech. Paper SPE12695) SPERE July, 86 341-353

M

Mayer, E. H. and Breit, V. S.: *Alkaline Flood Prediction Studies, Ranger VII Pilot, Wilmington Field, California*, (Tech. Paper SPE10720) SPERE Jan., 86 9-22

McMillen, T. J. *et al.*: *A Generalized Method for Predicting Gas/Oil Miscibility*, (Tech. Paper SPE12346) SPERE Sept., 86 463-473

Menzies, A.J. *et al.*: *Streamtube Relative-Permeability Functions for Flashing Steam/Water Flow in Fractures*, (Tech. Paper SPE11686) SPERE July, 86 371-377

Miller, F.G. and Economides, M.J.: *Geothermal Reservoir Evaluation Considering Fluid Adsorption and Composition*, (Tech. Paper SPE12740) SPERE Mar., 86 131-147

Mohsen, M.F.N.: *Author's Reply to Discussion of Welge's Method of Shock Front Location in Buckley-Leverett Problem for Nonzero Initial Condition*, (Rebuttal SPE15915) SPERE Sept., 86 535

Mohsen, M.F.N.: *Author's Reply to Discussion of Modification of Welge's Method of Shock Front Location in Buckley-Leverett Problem for Nonzero Initial Condition*, (Rebuttal SPE15282) SPERE July, 86 432

N

Nakornthap, K. and Evans, R. D.: *Temperature-Dependent Relative Permeability and Its Effect on Oil Displacement by Thermal Methods*, (Tech. Paper SPE11217) SPERE May, 86 230-242

Newberg, M. and Arastoopour, H.: *Analysis of the Flow of Gas Through Low-Permeability Porous Media*, (Tech. Paper SPE14705) SPERE Nov., 86 647-653

Nghiem, L.X. and Li, Y.K.: *Effect of Phase Behavior on CO2 Displacement Efficiency at Low Temperatures: Model Studies With an Equation of State*, (Tech. Paper SPE13116) SPERE July, 86 414-422

O

Oguztoreli, M. and Farouq Ali, S.M.: *A Mathematical Model for the Solvent Leaching of Tar Sand*, (Tech. Paper SPE12256) SPERE Nov., 86 545-555

P

Pantazi, I. G. and Turta, A. T.: *Development of the In-Situ Combustion Process on an Industrial Scale at Videle Field, Rumania*, (Tech. Paper SPE10709) SPERE Nov., 86 556-564

Pedrosa Jr., O.A. and Aziz, K.: *Use of Hybrid Grid in Reservoir Simulation*, (Tech. Paper SPE13507) SPERE Nov., 86 611-621

Petrick, C.B. and Bae, J.H.: *Glenn Pool Surfactant Flood Pilot Test: Comparison of Laboratory and Observation Well Data*, (Tech. Paper SPE12694) SPERE Nov., 86 593-603

Pope, G.A. *et al.*: *A Symmetric, Positive Definite Formulation of a Three-Dimensional Micellar/Polymer Simulator*, (Tech. Paper SPE13504) SPERE Nov., 86 622-632

Poston, S.W. and Gross, S.J.: *Numerical Simulation of Reservoir Sandstone Models*, (Tech. Paper SPE13135) SPERE July, 86 423-429

Prud'homme, R.K. *et al.*: *The Interpretation of Screen-Factor Measurements*, (Tech. Paper SPE12285) SPERE May, 86 272-276

R

Radke, C. J. and DeZabala, E. F.: *A Nonequilibrium Description of Alkaline Waterflooding*, (Tech. Paper SPE11213) SPERE Jan., 86 29-43

Radke, C.J. *et al.*: *Dispersion Attendant Sodium/Hydrogen Ion Exchange in Reservoir Sands*, (Tech. Paper SPE14708) SPERE Nov., 86 607-610

Remmer, D.J. *et al.*: *A Parametric Study of the Effects of Coal Seam Properties on Gas Drainage Efficiency*, (Tech. Paper SPE13366) SPERE Nov., 86 633-646

Reznik, A.A. and Enick, R.M.: *Authors' Reply to Discussion of an Analytical Extension of the Dykstra-Parsons Vertical Stratification Discrete Solution to a Continuous, Real-Time Basis*, (Rebuttal SPE14873) SPERE Mar., 86 174

Rubin, B. and Sammon, P.H.: *Practical Control of Timestep Selection in Thermal Simulation*, (Tech. Paper SPE12268) SPERE Mar., 86 163-170

S

Sahimi, M. *et al.*: *Multicomponent CO2/Water/Hydrocarbon Phase Behavior Modeling: A Comparative Study*, (Tech. Paper SPE11961) SPERE Jan., 86 61-72

Sammon, P.H. and Rubin, B.: *Practical Control of Timestep Selection in Thermal Simulation*, (Tech. Paper SPE12268) SPERE Mar., 86 163-170

Saneie, S. *et al.*: *Displacement of a Viscous Oil by the Combined Injection of Hot Water and Chemical Additive*, (Tech. Paper SPE12560) SPERE July, 86 391-402

Saneie, S. and Yortsos, Y. C.: *A Note on the Application of the Theory of Coherence to Surfactant Flooding*, (Tech. Paper SPE12467) SPERE Jan., 86 23-28

Sankur, V. *et al.*: *A Laboratory Study of Wilmington Tar Zone CO2 Injection Project*, (Tech. Paper SPE12751) SPERE Jan., 86 95-104

Schlijper, A.G.: *Simulation of Compositional Processes: The Use of Pseudocomponents in Equation-of-State Calculations*, (Tech. Paper SPE12633) SPERE Sept., 86 441-452

Scriven, L.E. *et al.*: *Multicomponent CO2/Water/Hydrocarbon Phase Behavior Modeling: A Comparative Study*, (Tech. Paper SPE11961) SPERE Jan., 86 61-72

Seinfeld, J.H. *et al.*: *History Matching by Spline Approximation And Regularization in Single-Phase Areal Reservoirs*, (Tech. Paper SPE13931) SPERE Sept., 86 521-534

Sepehrnoori, K. *et al.*: *A Symmetric, Positive Definite Formulation of a Three-Dimensional Micellar/Polymer Simulator*, (Tech. Paper SPE13504) SPERE Nov., 86 622-632

Shah, D. O. *et al.*: *Effect of Mixed-Chain-Length Surfactants on Fluid Displacement in Porous Media by In-Situ Foaming Process*, (Tech. Paper SPE10612) SPERE May, 86 253-260

Sharma, M. K. *et al.*: *Effect of Mixed-Chain-Length Surfactants on Fluid Displacement in Porous Media by In-Situ Foaming Process*, (Tech. Paper SPE10612) SPERE May, 86 253-260

Sherman, M.D. *et al.*: *A Laboratory Investigation of Sweep During Oxygen and Air Fireflooding*, (Tech. Paper SPE12676) SPERE Nov., 86 565-574

Shu, W.R. and Hartman, K.J.: *Thermal Visbreaking of Heavy Oil During Steam-Recovery Processes*, (Tech. Paper SPE12783) SPERE Sept., 86 474-482

Smart, G.T. and Coats, K.H.: *Application of a Regression-Based EOS PVT Program to Laboratory Data*, (Tech. Paper SPE11197) SPERE May, 86 277-299

Snow, R. H. *et al.*: *Recovery of Bitumen From Tar Sand Deposits With the Radio Frequency Process*, (Tech. Paper SPE10229) SPERE Jan., 86 85-94

Sresty, G. C. *et al.*: *Recovery of Bitumen From Tar Sand Deposits With the Radio Frequency Process*, (Tech. Paper SPE10229) SPERE Jan., 86 85-94

T

Thambynayagam, R.K.M. and Durrant, A. J.: *Wellbore Heat Transmission and Pressure Drop for Steam/Water Injection and Geothermal Production: A Simple Solution Technique*, (Tech. Paper SPE12939) SPERE Mar., 86 148-162

Thrasher, R.L. *et al.*: *A Symmetric, Positive Definite Formulation of a Three-Dimensional Micellar/Polymer Simulator*, (Tech. Paper SPE13504) SPERE Nov., 86 622-632

Trantham, J.C. *et al.*: *A Postflood Evaluation Test of the North Burbank Surfactant/Polymer Pilot*, (Tech. Paper SPE12695) SPERE July, 86 341-353

Turta, A. T. and Pantazi, I. G.: *Development of the In-Situ Combustion Process on an Industrial Scale at Videle Field, Rumania*, (Tech. Paper SPE10709) SPERE Nov., 86 556-564

U

Uhl, J.T. *et al.*: *The Interpretation of Screen-Factor Measurements*, (Tech. Paper SPE12285) SPERE May, 86 272-276

V

Verkoczy, B. and Jha, K.N.: *The Role of Thermal Analysis Techniques in the In-Situ Combustion Process*, (Tech. Paper SPE12677) SPERE July, 86 329-340

Vermeulen, F. E. *et al.*: *Numerical Simulation Results for the Electrical Heating of Athabasca Oil-Sand Formations*, (Tech. Paper SPE13013) SPERE Jan., 86 76-84

W

Wang, S.T. and Collins, H.N.: *Further Discussion of the Effect of Crossflow on Waterflooding of Stratified Reservoirs*, (Discussion SPE15043) SPERE Jan., 86 73

Watson, A. T. and Kerig, P. D.: *Relative-Permeablity Estimation From Displacement Experiments: An Error Analysis*, (Tech. Paper SPE12589) SPERE Mar., 86 175-182

Watts, J.W.: *A Compositional Formulation of the Pressure and Saturation Equations*, (Tech. Paper SPE12244) SPERE May, 86 243-252

Welge, H.J.: *Discussion of Modification of Welge's Method of Shock Front Location in the Buckely-Leverett Problem for Nonzero Initial Condition*, (Discussion SPE15797) SPERE July, 86 430

Willhite, G.P. *et al.*: *An Experimental Study of the In-Situ Gelation of Chromium(+3)/Polyacrylamide Polymer in Porous Media*, (Tech. Paper SPE12638) SPERE Nov., 86 583-592

Wu, C.H. and Langhoff, J.A.: *Calculation of High-Temperature Crude-Oil/Water/Vapor Separations Using Simulated Distillation Data*, (Tech. Paper SPE13075) SPERE Sept., 86 483-489

Y

Yortsos, Y. C. *et al.*: *Displacement of a Viscous Oil by the Combined Injection of Hot Water and Chemical Additive*, (Tech. Paper SPE12560) SPERE July, 86 391-402

Yortsos, Y. C. and Saneie, S.: *A Note on the Application of the Theory of Coherence to Surfactant Flooding*, (Tech. Paper SPE12467) SPERE Jan., 86 23-28

Yortsos, Y.C. and Huang, A.B.: *Linear-Stability Analysis of Immiscible Displacement: Part 1—Simple Basic Flow Profiles*, (Tech. Paper SPE12692) SPERE July, 86 378-390

Z

Zornes, D.R. *et al.*: *A Postflood Evaluation Test of the North Burbank Surfactant/Polymer Pilot*, (Tech. Paper SPE12695) SPERE July, 86 341-353

Subject Index

A

Additives
- Chemical: and hot water displacement of a viscous oil by the combined injection of, (Tech. Paper SPE 12560) SPERE Jul. 86, 391-402
- Steam-diverting: foaming surfactants as; laboratory study, (Tech. Paper SPE 12785) SPERE Jan. 86, 44-52

Adsorption
- Fluid and composition: geothermal reservoir evaluation considering, (Tech. Paper SPE 12740) SPERE Mar. 86, 131-147
- Of polymer: in flow of polymer solutions through porous media, (Tech. Paper SPE 12942) SPERE Mar. 86, 113-118

Air
- And oxygen fireflooding: laboratory investigation of sweep during, (Tech. Paper SPE 12676) SPERE Nov. 86, 565-574

Alaska
- Prudhoe Bay field: history matching and predicting behavior with analytical functions, (Tech. Paper SPE 12763) SPERE May 86, 300-312

Algorithm
- History matching by spine approximation and regularization: single-phase areal reservoirs, (Tech. Paper SPE 13931) SPERE Sept. 86, 521-534

Alkaline Flooding
- With water: nonequilibrium description of, (Tech. Paper SPE 11213) SPERE Jan. 86, 29-43

Alkylxylenesulfonate
- Crude oil/brine systems: effect of surfactant structure on phase behavior of, (Tech. Paper SPE 11770) SPERE Jan. 86, 53-60

Analytical Methods
- Extension of Dykstra-Parsons vertical stratification discrete solution to a continuous, real-time basis; author's reply to discussion, (Rebuttal SPE 14873) SPERE Mar. 86, 174
- Extension of Dykstra-Parsons vertical stratification discrete solution to a continuous, real-time basis; discussion of, (Discussion SPE 14695) SPERE Mar. 86, 171-173
- Of Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location; author's reply to discussion of, (Rebuttal SPE 15282) SPERE Jul. 86, 432
- Of Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location; author's reply to discussion of, (Rebuttal SPE 15915) SPERE Sept. 86, 535
- Of Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location; discussion of, (Discussion SPE 15193) SPERE Jul. 86, 431-432
- Of Buckley-Leverett problem! for nonzero initial condition: modification of Welge's method of shock front location; discussion of, (Discussion SPE 15797) SPERE Jul. 86, 430

Aquifers
- Dual-porosity/dual permeability and two interconnected single-porosity: new pseudosteady-state model for, (Tech. Paper SPE 12277) SPERE Sept. 86, 511-520
- Single-porosity finite/infinite: models for water-influx calculations; fast convoluition method for implementing, (Tech. Paper SPE 12276) SPERE Sept. 86, 490-510

Athabasca Oil Sands
- See Canada

B

Bagnore Field
- See Italy, (Tech. Paper SPE 12740) SPERE Mar. 86, 131-147

Bitumen
- Recovery from tar sand deposits with radio frequency process, (Tech. Paper SPE 10229) SPERE Jan. 86, 85-94

Brines
- Aklylxylenesulfonate/crude oil systems: effect of surfactant structure on phase behavior of, (Tech. Paper SPE 11770) SPERE Jan. 86, 53-60

Buckley-Leverett
- Problem for nonzero initial condition: modification of Welge's method of shock front location; author's reply to discussion of, (Rebuttal SPE 15915) SPERE Sept. 86, 535
- Problem for nonzero initial condition: modification of Welge's method of shock front location; discussion of, (Discussion SPE 15797) SPERE Jul. 86, 430
- Problem for nonzero initial condition: modification of Welge's method of shock front location; discussion of, (Discussion SPE 15193) SPERE Jul. 86, 431-432
- Problem for nonzero initial condition:: modification of Welge's method of shock front location; author's reply to discussion of, (Rebuttal SPE 15282) SPERE Jul. 86, 432

C

Caisson
- Application to surfactant flooding:, (Tech. Paper SPE 12467) SPERE Jan. 86, 23-28

Calcium
- And sodium: association with surfactant micelles: an electrostatic, (Tech. Paper SPE 10921) SPERE Mar. 86, 119-130

California
- Geysers field: geothermal reservoir evaluation considering fluid adsorption and composition, (Tech. Paper SPE 12740) SPERE Mar. 86, 131-147
- Wilmington tar zone: CO2 injection project; laboratory study, (Tech. Paper SPE 12751) SPERE Jan. 86, 95-104

Canada
- Athabasca oil sand: numerical simulation results for electrical heating of the formations, (Tech. Paper SPE 13013) SPERE Jan. 86, 76-84
- Cold Lake field; tar sands; cyclic steaming through hydraulically induced fractures, (Tech. Paper SPE 11684) SPERE May 86, 217-229
- Judy Creek Field: miscible flood forecasting at, (Tech. Paper SPE 12630) SPERE Sept. 86, 453-462
- Lloydminster region: in-situ combustion process; role of thermal analysis techniques, (Tech. Paper SPE 12677) SPERE Jul. 86, 329-340

Carbon Dioxide
Displacement efficiency at low temperatures: effect of phase behavior on; model studies with an equation of state, (Tech. Paper SPE 13116) SPERE Jul. 86, 414-422
Injection project: laboratory study of Wilmington tar zone, (Tech. Paper SPE 12751) SPERE Jan. 86, 95-104
Multicontact miscible displacement of reservoir fluid by minimum miscibility pressure required: generalized correlation; discussion of, (Discussion SPE 15845) SPERE Sept. 86, 535
Water/hydrocarbon mixtures: multicomponent phase behavior modeling; compoarative study, (Tech. Paper SPE 11961) SPERE Jan. 86, 61-72
Chemicals
Additive: and hot water; displacement of a viscous oil by the combined injection of, (Tech. Paper SPE 12560) SPERE Jul. 86, 391-402
Coals
Effects of seam properties on gas drainage efficiency: parametric study, (Tech. Paper SPE 13366) SPERE Nov. 86, 633-646
Cold Lake Field
See Canada
Combustion Method of Oil Recovery
In-situ process: role of thermal analysis techniques, (Tech. Paper SPE 12677) SPERE Jul. 86, 329-340
Composition
And fluid adsorption: geothermal reservoir evaluation considering, (Tech. Paper SPE 12740) SPERE Mar. 86, 131-147
Crude oil: effect on interfacial properties; experimental investigation, (Tech. Paper SPE 12124) SPERE Jul. 86, 321-328
Paths: in application of theory of coherence; surfactant flooding, (Tech. Paper SPE 12467) SPERE Jan. 86, 23-28
Computers
Model: in reservoir simulation; use of hybrid grid, (Tech. Paper SPE 13507) SPERE Nov. 86, 611-621
Program developed: for analysis of flow of gas through low-permeability porous media, (Tech. Paper SPE 14705) SPERE Nov. 86, 647-653
Study: numerical simulation of sandstone reservoir models, (Tech. Paper SPE 13135) SPERE Jul. 86, 423-429
Cores
Heavy-oil: role of thermal analysis techniques in in-situ combustion process, (Tech. Paper SPE 12677) SPERE Jul. 86, 329-340
Correlations
And analysis: of nitrogen and lean-gas miscibility pressure, (Tech. Paper SPE 13669) SPERE Nov. 86, 575-582
For calculation of vertical coverage and areal sweep efficiency, (Tech. Paper SPE 13945) SPERE Nov. 86, 604-606
For similarity parameters: simulation of compositional processes; use of pseudocomponents in EOS calculations, (Tech. Paper SPE 12633) SPERE Sept. 86, 441-452
Generalized minimum miscibility pressure: discussion of, (Discussion SPE 15845) SPERE Sept. 86, 535
Of minimum miscibility pressure: generalized method for predicting gas/oil miscibility, (Tech. Paper SPE 12346) SPERE Sept. 86, 463-473
Cross Flow
Effect on waterflooding of stratified reservoirs: discussion of, (Discussion SPE 15043) SPERE Jan. 86, 73
Effect on waterflooding of stratified reservoirs; author's reply to discussion of, (Rebuttal SPE 15191) SPERE Jan. 86, 74-75
Two-Layer reservoirs: matching simulator wellblock pressures with observed buildup pressures, (Tech. Paper SPE 12155) SPERE Mar. 86, 183-193
Crude Oils
Aklylxylenesulfonate/brine systems: effect of surfactant structure on phase behavior of, (Tech. Paper SPE 11770) SPERE Jan. 86, 53-60
Composition: effect on interfacial properties; experimental investigation, (Tech. Paper SPE 12124) SPERE Jul. 86, 321-328
Water/vapor separations: calculation at high temperature using simulated distillation data, (Tech. Paper SPE 13075) SPERE Sept. 86, 483-489

D

Data
Laboratory: application of a regression-based EOS PVT program, (Tech. Paper SPE 11197) SPERE May 86, 277-299
Deposition
Environment of: sandstone reservoirs; numerical simulation models, (Tech. Paper SPE 13135) SPERE Jul. 86, 423-429
Developments
Of in-situ combustion process on industrial scale: Videle field, Rumania, (Tech. Paper SPE 10709) SPERE Nov. 86, 556-564
Of modification of Welge's method of shock front location: Buckley-Leverett problem for nonzero initial condition; author's reply to discussion of, (Rebuttal SPE 15282) SPERE Jul. 86, 432
Of modification of Welge's method of shock front location: Buckley-Leverett problem for nonzero initial condition; author's reply to discussion of, (Rebuttal SPE 15915) SPERE Sept. 86, 535
Of modification of Welge's method of shock front location: Buckley-Leverett problem for nonzero initial condition; discussion of, (Discussion SPE 15193) SPERE Jul. 86, 431-432
Of modification of Welge's method of shock front location; Buckley-Leverett problem for nonzero initial condition; discussion of, (Discussion SPE 15797) SPERE Jul. 86, 430
Differential Scanning Calorimetry
Role in in-situ combustion process, (Tech. Paper SPE 12677) SPERE Jul. 86, 329-340
Dispersion
Attendant sodium/hydrogen ion exchange in reservoir sands, (Tech. Paper SPE 14708) SPERE Nov. 86, 607-610
Displacement
Coreflood experiments: relative-permeability estimation from; an error analysis, (Tech. Paper SPE 12589) SPERE Mar. 86, 175-182
Fluid: in porous media by in-situ foaming process; effect of mixed-chain-length surfactants, (Tech. Paper SPE 10612) SPERE May 86, 253-260
Linear: in flow through porous media; surfactant and polymer losses, (Tech. Paper SPE 11779) SPERE May 86, 261-271
Of oil by thermal methods: effect of temperature-dependent relative permeability, (Tech. Paper SPE 11217) SPERE May 86, 230-242
Displacement Efficiency
Of CO2 at low temperatures; effect of phase behavior on; model studies with an equation of state, (Tech. Paper SPE 13116) SPERE Jul. 86, 414-422

Displacement Mechanism
Alkaline waterflooding: nonequilibrium description of, (Tech. Paper SPE 11213) SPERE Jan. 86, 29-43
Immiscible: linear-stability analysis; part 1 - simple basic flow profiles, (Tech. Paper SPE 12692) SPERE Jul. 86, 378-390
Of viscous oil by combines injection of hot water and chemical additive, (Tech. Paper SPE 12560) SPERE Jul. 86, 391-402

Dissolution
Of semisolid bitumen: solvent leaching of tar sands; mathematical model, (Tech. Paper SPE 12256) SPERE Nov. 86, 545-555

Distillation
Simulated data: use in calculation of high-temperature crude-oil/water/vapor separations, (Tech. Paper SPE 13075) SPERE Sept. 86, 483-489

Drainage
Gas: parametric study of effects of coal seam properties on efficiency, (Tech. Paper SPE 13366) SPERE Nov. 86, 633-646

Dykstra-Parsons Method
Of vertical stratification: analytical extension of discrete solution to a continuous, real-time basis; author's reply to discussion of, (Rebuttal SPE 14873) SPERE Mar. 86, 174
Of vertical stratification; analytical extension of discrete solution to a continuous, real-time basis; discussion of, (Discussion SPE 14695) SPERE Mar. 86, 171-173

E

Efficiency
Gas drainage: parametric study of effects of coal seam properties, (Tech. Paper SPE 13366) SPERE Nov. 86, 633-646

Enhanced Recovery
Alkaline waterflooding: nonequilibrium description of, (Tech. Paper SPE 11213) SPERE Jan. 86, 29-43
CO2/water/hydrocarbon multicomponent phase behavior modeling: comparative study, (Tech. Paper SPE 11961) SPERE Jan. 86, 61-72
Micellar flood: effect of surfactant structure on phase behavior of alkylxylenesulfonate/crude oil/brine systems, (Tech. Paper SPE 11770) SPERE Jan. 86, 53-60
Solvent leaching of tar sands: mathematical model for, (Tech. Paper SPE 12256) SPERE Nov. 86, 545-555
Steam-foam process: foaming surfactants as additives; laboratory study, (Tech. Paper SPE 12785) SPERE Jan. 86, 44-52
Surfactant flooding: application of theory of coherence, (Tech. Paper SPE 12467) SPERE Jan. 86, 23-28

Equations of State
Calculations: use of pseudocomponents; simulation of compositional processes, (Tech. Paper SPE 12633) SPERE Sept. 86, 441-452
Model studies with: effect of phase behavior on CO2 displacement efficiency at low temperatures, (Tech. Paper SPE 13116) SPERE Jul. 86, 414-422
Regression-based PVT program: application to laboratory data, (Tech. Paper SPE 11197) SPERE May 86, 277-299
Use in multicomponent CO2/water/hydrocarbon phase behavior modeling; comparative study, (Tech. Paper SPE 11961) SPERE Jan. 86, 61-72

Equilibrium
Donnan Model: calculation of exchange of sodium and calcium, (Tech. Paper SPE 10921) SPERE Mar. 86, 119-130

Error Analysis
Of relative permeability estimation from displacement experiments, (Tech. Paper SPE 12589) SPERE Mar. 86, 175-182

Evaluations
Of geothermal reservoir considering fluid adsorption and composition, (Tech. Paper SPE 12740) SPERE Mar. 86, 131-147
Postflood test: North Burbank surfactant/polymer pilot, (Tech. Paper SPE 12695) SPERE Jul. 86, 341-353

F

Field Tests
Radio frequency process: recovery of bitumen from tar sand deposits, (Tech. Paper SPE 10229) SPERE Jan. 86, 85-94

Finite Difference Method
For simulating phase segregation in matrix blocks in double-porosity reservoirs, (Tech. Paper SPE 12271) SPERE Jul. 86, 403-413

Fireflood
Oxygen and air: laboratory investigation of sweep during, (Tech. Paper SPE 12676) SPERE Nov. 86, 565-574

Flood Front
Passing phenomenon: an aspect of the analytical extension of the Dykstra-Parsons vertical stratification discrete solution to a continuous real-time basis; author's reply to discussion of, (Rebuttal SPE 14873) SPERE Mar. 86, 174
Passing phenomenon: an aspect of the analytical extension of the Dykstra-Parsons vertical stratification discrete solution to a continuous real-time; discussion of, (Discussion SPE 14695) SPERE Mar. 86, 171-173

Fluid Flow
Compositional reservoir equations, (Tech. Paper SPE 12244) SPERE May 86, 243-252
Critical water-free production rates and gravity-drainage rates: multiwell systems, (Tech. Paper SPE 11596) SPERE Sept. 86, 363-370
Flashing steam/water in fractures: streamtube relative-permeability functions for, (Tech. Paper SPE 11686) SPERE Jul. 86, 371-377
Of polymer solutions through porous media: polymer retention and adsorption, (Tech. Paper SPE 12942) SPERE Mar. 86, 113-118
Simple basic flow profiles:, (Tech. Paper SPE 12692) SPERE Jul. 86, 378-390
Through low-permeability porous media: analysis of, (Tech. Paper SPE 14705) SPERE Nov. 86, 647-653
Through porous media: mixing equations in various geometries, (Tech. Paper SPE 4585) SPERE Mar. 86, 203-208
Through porous media: surfactant and polymer losses, (Tech. Paper SPE 11779) SPERE May 86, 261-271

Foams
Behavior in in-situ foaming process: effect of mixed-chain-length surfactants on fluid displacement in porous media, (Tech. Paper SPE 10612) SPERE May 86, 253-260
With surfactants: as steam diverting additives; laboratory study, (Tech. Paper SPE 12785) SPERE Jan. 86, 44-52

Forecasting
GOR behavior with analytical functions, (Tech. Paper SPE 12763) SPERE May 86, 300-312

Technique: miscible flood at Judy Creek, (Tech. Paper SPE 12630) SPERE Sept. 86, 453-462

Formation Fractures
Flashing steam/water flow in: streamtube relative-permeability functions for, (Tech. Paper SPE 11686) SPERE Jul. 86, 371-377
Hydraulically induced: cyclic steaming of tar sand through, (Tech. Paper SPE 11684) SPERE May 86, 217-229

Formulation
Compositional: of pressure and saturation equations, (Tech. Paper SPE 12244) SPERE May 86, 243-252
Symmetric, positive-definite: of 3D micellar/polymer simulator, (Tech. Paper SPE 13504) SPERE Nov. 86, 622-632

Fractures
Flashing steam/water flow in: streamtube relative-permeability functions for, (Tech. Paper SPE 11686) SPERE Jul. 86, 371-377

Frequency
Radio process: recovery of bitumen from tar sand deposit with, (Tech. Paper SPE 10229) SPERE Jan. 86, 85-94

Frontal Advance Equation
Welge's method of shock front location: modification in Buckley-Leverett problem for nonzero initial condition; author's reply to discussion of, (Rebuttal SPE 15282) SPERE Jul. 86, 432
Welge's method of shock front location: modification in Buckley-Leverett problem for nonzero initial condition; author's reply to discussion of, (Rebuttal SPE 15915) SPERE Sept. 86, 535
Welge's method of shock front location: modification in Buckley-Leverett problem for nonzero initial condition; discussion of, (Discussion SPE 15797) SPERE Jul. 86, 430
Welge's method of shock front location: modification in Buckley-Leverett problem for nonzero initial condition; discussion of, (Discussion SPE 15193) SPERE Jul. 86, 431-432

G

Gas/Oil Ratio
Predicting behavior with analytical functions, (Tech. Paper SPE 12763) SPERE May 86, 300-312

Gels
Of chromium(+3)/polyacrylamide polymer: experimental study of in-situ gelation in porous media, (Tech. Paper SPE 12638) SPERE Nov. 86, 583-592

Geothermal Reservoir
Evaluation considering fluid adsorption and composition, (Tech. Paper SPE 12740) SPERE Mar. 86, 131-147

Geothermal Wells
Flashing steam/water flow in fractures: streamtube relative-permeability function for, (Tech. Paper SPE 11686) SPERE Jul. 86, 371-377
Heat transmission and pressure drop: simple solution technique, (Tech. Paper SPE 12939) SPERE Mar. 86, 148-162

Germany, Federal Republic of
Tar sands: cyclic steaming through hydraulically induced fractures, (Tech. Paper SPE 11684) SPERE May 86, 217-229

Geysers Field
See California

Glenn Pool Field
See Oklahoma

Gravimetric Analysis
Role in in-situ combustion process, (Tech. Paper SPE 12677) SPERE Jul. 86, 329-340

Gravity Drainage
Rates: and critical water-free production rates for multiwell systems, (Tech. Paper SPE 11596) SPERE Sept. 86, 363-370

H

Heat
Electrical: use on Athabasca oil-sand formations; numerical simulation results, (Tech. Paper SPE 13013) SPERE Jan. 86, 76-84
Transmission in wellbore: steam/water injection and geothermal production; simple solution technique, (Tech. Paper SPE 12939) SPERE Mar. 86, 148-162

History
Matching simulator wellblock pressures with observed buildup pressures: two-layer reservoirs, (Tech. Paper SPE 12155) SPERE Mar. 86, 183-193
Matching: and predicting GOR behavior with analytical functions, (Tech. Paper SPE 12763) SPERE May 86, 300-312
Matching: by spline approximation and regularization in single-phase reservoirs, (Tech. Paper SPE 13931) SPERE Sept. 86, 521-534

Hydrocarbons
CO2/water mixtures: multicomponent phase behavior modeling; comparative study, (Tech. Paper SPE 11961) SPERE Jan. 86, 61-72
Multicontact miscible displacement of reservoir fluid by minimum miscibility pressure required: generalized correlation; discussion of, (Discussion SPE 15845) SPERE Sept. 86, 535

Hydrogen
And sodium ion exchange in reservoir sands: dispersion attendant, (Tech. Paper SPE 14708) SPERE Nov. 86, 607-610

I

Immiscible Displacement
Dykstra-Parsons vertical stratification: analytical extension of discrete solution to a continuous real-time basis; author's reply to discussion of, (Rebuttal SPE 14873) SPERE Mar. 86, 174
Dykstra-Parsons vertical stratification: analytical extension of discrete solution to a continuous real-time basis; discussion of, (Discussion SPE 14695) SPERE Mar. 86, 171-173
Linear-stability analysis of: Part 1 - simple basic flow profiles, (Tech. Paper SPE 12692) SPERE Jul. 86, 378-390

Implicit Iterative Procedure
In thermal simulation: practical control of timestep selection, (Tech. Paper SPE 12268) SPERE Mar. 86, 163-170

Implicit Pressure, Explicit Saturation (IMPES)
In reservoir simulation: use of hybrid grid, (Tech. Paper SPE 13507) SPERE Nov. 86, 611-621

In-Situ Combustion
Process: development on industrial scale; Videle field, Rumania, (Tech. Paper SPE 10709) SPERE Nov. 86, 556-564

Injection
CO2 project: laboratory study of Wilmington tar zone, (Tech. Paper SPE 12751) SPERE Jan. 86, 95-104

Combinationof hot water and chemical additive: displacement of a viscous oil by, (Tech. Paper SPE 12560) SPERE Jul. 86, 391-402

Interfacial Tension

Effective: linear-stability analysis of immiscible displacement: Part 1 - simple basic flow profiles, (Tech. Paper SPE 12692) SPERE Jul. 86, 378-390

Effects of temperature, pressure, and crude oil composition: experimental investigation, (Tech. Paper SPE 12124) SPERE Jul. 86, 321-328

Fluids: mobilization of waterflood residual fluids, (Tech. Paper SPE 13216) SPERE Jul. 86, 354-362

In alkaline waterflooding: nonequilibrium description of, (Tech. Paper SPE 11213) SPERE Jan. 86, 29-43

Interpretation

Of screen-factor measurements, (Tech. Paper SPE 12285) SPERE May 86, 272-276

Ion Exchange

Sodium/hydrogen: dispersion attendant in reservoir sands, (Tech. Paper SPE 14708) SPERE Nov. 86, 607-610

Italy

Bagnore field: geothermal reservoir evaluation considering fluid adsorption and composition, (Tech. Paper SPE 12740) SPERE Mar. 86, 131-147

J

Judy Creek Field

See Canada, (Tech. Paper SPE 12630) SPERE Sept. 86, 453-462

L

Laboratory Studies

Association of sodium and calcium with surfactant micelles: electrostatic approach to, (Tech. Paper SPE 10921) SPERE Mar. 86, 119-130

Comparison with observation-well data: Glenn Pool surfactant flood pilot test, (Tech. Paper SPE 12694) SPERE Nov. 86, 593-603

Displacement experiments: relative-permeability estimation; an error analysis, (Tech. Paper SPE 12589) SPERE Mar. 86, 175-182

Flow of polymer solutions through porous media: polymer retention and adsorption, (Tech. Paper SPE 12942) SPERE Mar. 86, 113-118

Flow through porous media: surfactant and polymer losses through, (Tech. Paper SPE 11779) SPERE May 86, 261-271

Foaming surfactants as steam-diverting additives, (Tech. Paper SPE 12785) SPERE Jan. 86, 44-52

In-situ combustion process: role of thermal analysis techniques, (Tech. Paper SPE 12677) SPERE Jul. 86, 329-340

In-situ foaming process: effect of mixed-chain-length surfactants on fluid displacement in porous media, (Tech. Paper SPE 10612) SPERE May 86, 253-260

In-situ gelation of chromium(+3): experimental study of in-situ gelation in porous media, (Tech. Paper SPE 12638) SPERE Nov. 86, 583-592

Interfacial properties: effects of temperature, pressure, and crude oil composition, (Tech. Paper SPE 12124) SPERE Jul. 86, 321-328

Mobilization of waterflood residual oil by miscible fluids, (Tech. Paper SPE 13216) SPERE Jul. 86, 354-362

Of Wilmington tar zone CO2 injection project, (Tech. Paper SPE 12751) SPERE Jan. 86, 95-104

Regression-based EOS PVT program: application to laboratory data, (Tech. Paper SPE 11197) SPERE May 86, 277-299

Screen-factor measurements: interpretation of, (Tech. Paper SPE 12285) SPERE May 86, 272-276

Sweep during oxygen and air fireflooding, (Tech. Paper SPE 12676) SPERE Nov. 86, 565-574

Leaching

Solvent: of tar sand: mathematical model for, (Tech. Paper SPE 12256) SPERE Nov. 86, 545-555

M

Material Balance

Fluid adsorption implications on calculations of: geothermal reservoir evaluation considering, (Tech. Paper SPE 12740) SPERE Mar. 86, 131-147

Mathematics

Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location; author's reply to discussion of, (Rebuttal SPE 15282) SPERE Jul. 86, 432

Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location; author's reply to discussion of, (Rebuttal SPE 15915) SPERE Sept. 86, 535

Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location; discussion of, (Discussion SPE 15193) SPERE Jul. 86, 431-432

Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location; discussion of, (Discussion SPE 15797) SPERE Jul. 86, 430

Matrix

Blocks: simulating phase segregation in: efficient finite-difference method for double-porosity reservoirs, (Tech. Paper SPE 12271) SPERE Jul. 86, 403-413

Measurement

Screen-factor: interpretation of, (Tech. Paper SPE 12285) SPERE May 86, 272-276

Methane

Gas drainage efficiency: parametric study of effects of coal seam properties, (Tech. Paper SPE 13366) SPERE Nov. 86, 633-646

Micellar Systems

And polymer: symmetric, positive-definite formulation of 3D simulator, (Tech. Paper SPE 13504) SPERE Nov. 86, 622-632

Surfactant: electrostatic approach to association of sodium and calcium, (Tech. Paper SPE 10921) SPERE Mar. 86, 119-130

Minimum Miscibility Pressure (MMP)

Gas/oil: generalized method for predicting, (Tech. Paper SPE 12346) SPERE Sept. 86, 463-473

Generalized correlation; discussion of, (Discussion SPE 15845) SPERE Sept. 86, 535

Of nitrogen and lean gas: analysis and correlation of, (Tech. Paper SPE 13669) SPERE Nov. 86, 575-582

Miscible Displacement

Flood forecasting technique at Judy Creek, (Tech. Paper SPE 12630) SPERE Sept. 86, 453-462

Minimum miscibility pressure: generalized correlation; discussion of, (Discussion SPE 15845) SPERE Sept. 86, 535

Of waterflood residual oil, (Tech. Paper SPE 13216) SPERE Jul. 86, 354-362

Processes: tracking sharp fronts in studies of tertiary oil-recovery pilots; numerical techniques, (Tech. Paper SPE 12240) SPERE Mar. 86, 194-202
Vertical: mixing equations in various geometries, (Tech. Paper SPE 4585) SPERE Mar. 86, 203-208

Mixing
Equations: in various geometries, (Tech. Paper SPE 4585) SPERE Mar. 86, 203-208

Mixtures
Of components: use of pseudocomponents in EOS calculations; simulation of compositional processes, (Tech. Paper SPE 12633) SPERE Sept. 86, 441-452

Mobility
Flow profiles: linear-stability analysis of immiscible displacement, (Tech. Paper SPE 12692) SPERE Jul. 86, 378-390
Reduction: by polymer adsorption in flow of polymer solutions through porous media, (Tech. Paper SPE 12942) SPERE Mar. 86, 113-118

Mobility Ratio
Effect on waterflooding: stratified reservoirs with crossflow; author's reply to discussion of, (Rebuttal SPE 15191) SPERE Jan. 86, 74-75
Effect on waterflooding: stratified reservoirs with crossflow; discussion of, (Discussion SPE 15043) SPERE Jan. 86, 73

Mobilization
Of waterflood residual oil by miscible fluids, (Tech. Paper SPE 13216) SPERE Jul. 86, 354-362

Models
Adiabatic hot waterflood: and chemical additive; displacement of a viscous oil by combined injection of, (Tech. Paper SPE 12560) SPERE Jul. 86, 391-402
Compositional simulator: CO2 injection project; study of Wilmington tar zone, (Tech. Paper SPE 12751) SPERE Jan. 86, 95-104
Compositional: analysis and correlation of nitrogen and lean-gas miscibility pressure, (Tech. Paper SPE 13669) SPERE Nov. 86, 575-582
Electyrostatic approach to association of sodium and calcium with surfactant micelles, (Tech. Paper SPE 10921) SPERE Mar. 86, 119-130
Forecast: miscible flood at Judy Creek, (Tech. Paper SPE 12630) SPERE Sept. 86, 453-462
Lattice-gas: multicomponent CO2/hydrocarbon phase behavior modeling: comparative study, (Tech. Paper SPE 11961) SPERE Jan. 86, 61-72
Mathematical: for solvent leaching of tar sand, (Tech. Paper SPE 12256) SPERE Nov. 86, 545-555
Mathematical: for tracking sharp fronts in studies of tertiary oil-recovery pilots, (Tech. Paper SPE 12240) SPERE Mar. 86, 194-202
Mathematical: of flow of methane and water through a coal seam: parametric study of effects on gas drainage efficiency, (Tech. Paper SPE 13366) SPERE Nov. 86, 633-646
Mathematical: oil displacement by thermal methods; effect of temperature-dependent relative permeability, (Tech. Paper SPE 11217) SPERE May 86, 230-242
Mathematical: waterflooding of stratified reservoirs; effect of crossflow, discussion of, (Discussion SPE 15043) SPERE Jan. 86, 73
Mathematical: waterflooding of stratified reservoirs; effect of crossflow; author's reply to discussion of, (Rebuttal SPE 15191) SPERE Jan. 86, 74-75
Mathematical: wellbore heat transmission and pressure drop for steam/water injection and geothermal production: simple solution technique, (Tech. Paper SPE 12939) SPERE Mar. 86, 148-162
Micro: effect of mixed-chain-length surfactants on fluid displacement in porous media; in-situ foaming process, (Tech. Paper SPE 10612) SPERE May 86, 253-260
Nonequilibrium theory: alkaline waterflooding, (Tech. Paper SPE 11213) SPERE Jan. 86, 29-43
Production availability forecast: history matching and predicting GOR behavior with analytical functions, (Tech. Paper SPE 12763) SPERE May 86, 300-312
Pseudosteady state: for dual-porosity/dual-permeability aquifers and two interconnected single-porosity aquifers, (Tech. Paper SPE 12277) SPERE Sept. 86, 511-520
Sandstone reservoir: numerical simulation of, (Tech. Paper SPE 13135) SPERE Jul. 86, 423-429
Single-porosity finite/infinite aquifer: for water-influx calculations; fast convolution method, (Tech. Paper SPE 12276) SPERE Sept. 86, 490-510
Slim tube: generalized method for predicting gas/oil miscibility, (Tech. Paper SPE 12346) SPERE Sept. 86, 463-473
Studies with an equation of state: effect of phase behavior on CO2 displacement efficiency at low temparatures, (Tech. Paper SPE 13116) SPERE Jul. 86, 414-422
Transient 1D single-phase: analysis of flow of gas through low-permeability porous media, (Tech. Paper SPE 14705) SPERE Nov. 86, 647-653
Two-phase flow: flashing steam/water flow in fractures; streamtube relative-permeability functions for, (Tech. Paper SPE 11686) SPERE Jul. 86, 371-377
Well: symmetric, positive-definite formulation of 3D micellar/polymer simulator, (Tech. Paper SPE 13504) SPERE Nov. 86, 622-632

Multiwell Systems
Critical water-free production rates and gravity-drainage rates, (Tech. Paper SPE 11596) SPERE Sept. 86, 363-370

N

Natural Gas
Lean: and nitrogen miscibility pressure; analysis and correlation of, (Tech. Paper SPE 13669) SPERE Nov. 86, 575-582

New Zealand
Geothermal production: wellbore heat transmission and pressure drop; simple solution technique, (Tech. Paper SPE 12939) SPERE Mar. 86, 148-162

Nitrogen
And lean-gas miscibility pressure: analysis and correlation of, (Tech. Paper SPE 13669) SPERE Nov. 86, 575-582
Multicontact miscible displacement of reservoir fluid by minimum miscibility pressure required: generalized correlation; discussion of, (Discussion SPE 15845) SPERE Sept. 86, 535

North Burbank Unit
See California

Numerical Solutions
Alkaline waterflooding: nonequilibrium description, (Tech. Paper SPE 11213) SPERE Jan. 86, 29-43
Critical water-free production rates and gravity-drainage rates: multiwell systems, (Tech. Paper SPE 11596) SPERE Sept. 86, 363-370
Displacement of viscous oil: combined injection of hot water and chemical additive, (Tech. Paper SPE 12550) SPERE Jul. 86, 391-402
Dual-porosity/dual-permeability aquifers and two interconnected single-porosity aquifers: new pseudosteady-state model for, (Tech. Paper SPE 12277) SPERE Sept. 86, 511-520

Efficient finite-difference method for simulating phase segregation in matrix blocks: double-porosity reservoirs, (Tech. Paper SPE 12271) SPERE Jul. 86, 403-413
For electrical heating of Athabasca oil-sand formations: numerical simulation, (Tech. Paper SPE 13013) SPERE Jan. 86, 76-84
For tracking sharp fronts: studies of tertiary oil-recovery pilots, (Tech. Paper SPE 12240) SPERE Mar. 86, 194-202
History matching by spline approximation and regularization: single-phase areal reservoirs, (Tech. Paper SPE 13931) SPERE Sept. 86, 521-534
In multicomponent CO2/water/hydrocarbon phase behavior modeling; comparative study, (Tech. Paper SPE 11961) SPERE Jan. 86, 61-72
In simulation of compositional processes: use of pseudocomponents in EOS calculations, (Tech. Paper SPE 12633) SPERE Sept. 86, 441-452
Linear-stability analysis of immiscible displacement: Part 1 - simple basic flow profiles, (Tech. Paper SPE 12692) SPERE Jul. 86, 378-390
Matching simulator wellblock pressures with observed buildup pressures: two-layer reservoirs, (Tech. Paper SPE 12155) SPERE Mar. 86, 183-193
Mixing equations in various geometries, (Tech. Paper SPE 4585) SPERE Mar. 86, 203-208
Oil displacement by thermal methods: effect of temperature-dependent relative permeability, (Tech. Paper SPE 11217) SPERE May 86, 230-242
Pressure and saturation equations: compositional formulation of, (Tech. Paper SPE 12244) SPERE May 86, 243-252
Screen-factor measurements: interpretation of, (Tech. Paper SPE 12285) SPERE May 86, 272-276
Solvent leaching of tar sands, (Tech. Paper SPE 12256) SPERE Nov. 86, 545-555
Surfactant flooding: application of theory of coherence, (Tech. Paper SPE 12467) SPERE Jan. 86, 23-28
Symmetric, positive-definite formulation: 3D micellar/polymer simulator, (Tech. Paper SPE 13504) SPERE Nov. 86, 622-632
Thermal simulation: practical control of timestep selection, (Tech. Paper SPE 12268) SPERE Mar. 86, 163-170
Use of hybrid grid in reservoir simulation, (Tech. Paper SPE 13507) SPERE Nov. 86, 611-621
Water-influx calculations: fast convolution method for implementing single-porosity finite/infinite aquifer models, (Tech. Paper SPE 12276) SPERE Sept. 86, 490-510
Waterflooding of stratified reservoirs: effect of crossflow; author's reply to discussion of, (Rebuttal SPE 15191) SPERE Jan. 86, 74-75
Waterflooding of stratified reservoirs: effect of crossflow; discussion of, (Discussion SPE 15043) SPERE Jan. 86, 73
Wellbore heat transmission and pressure drop: steam/water injection and geothermal production; simple solution technique, (Tech. Paper SPE 12939) SPERE Mar. 86, 148-162

O

Oil
Displacement: by thermal methods; effect of temperature-dependent relative permeability, (Tech. Paper SPE 11217) SPERE May 86, 230-242
Heavy: thermal visbreaking during steam recovery processes, (Tech. Paper SPE 12783) SPERE Sept. 86, 474-482

Oil Recovery
Tertiary pilots: numerical technique for tracking sharp fronts in studies, (Tech. Paper SPE 12240) SPERE Mar. 86, 194-202

Oklahoma
Glenn Pool field: surfactant flood pilot test; comparison of laboratory and observation-well data, (Tech. Paper SPE 12694) SPERE Nov. 86, 593-603
North Burbank field: postflood evaluation test of surfactant/polymer pilot, (Tech. Paper SPE 12695) SPERE Jul. 86, 341-353
Steam/water injection: wellbore heat transmission and pressure drop; simple solution technique, (Tech. Paper SPE 12939) SPERE Mar. 86, 148-162

Oxygen
And air fireflooding: laboratory investigation of sweep during, (Tech. Paper SPE 12676) SPERE Nov. 86, 565-574

P

PVT Behavior
Application of a regression-based EOS to laboratory data, (Tech. Paper SPE 11197) SPERE May 86, 277-299

Parameters
Estimation of: method of estimating relative permeability from displacement experiments; an error analysis, (Tech. Paper SPE 12589) SPERE Mar. 86, 175-182

Performance Predictions
Miscible flood: forecasting technique at Judy Creek, (Tech. Paper SPE 12630) SPERE Sept. 86, 453-462

Permeability
Dual: dual-porosity aquifers; new pseudosteady-state model for, (Tech. Paper SPE 12277) SPERE Sept. 86, 511-520
In single-phase areal reservoirs: history matching by spline approximation and regularization, (Tech. Paper SPE 13931) SPERE Sept. 86, 521-534
Low: in porous media; analysis of flow of gas through, (Tech. Paper SPE 14705) SPERE Nov. 86, 647-653

Phase Behavior
CO2 injection project: laboratory study of Wilmington tar zone, (Tech. Paper SPE 12751) SPERE Jan. 86, 95-104
Effect on CO2 displacement efficiency at low temperatures: model studies with an equation of state, (Tech. Paper SPE 13116) SPERE Jul. 86, 414-422
Modeling: of multicomponent CO2/water/hydrocarbon mixtures; comparative study, (Tech. Paper SPE 11961) SPERE Jan. 86, 61-72
Of alkylxylenesulfonate/crude-oil/brine systems: effect of surfactant structure on, (Tech. Paper SPE 11770) SPERE Jan. 86, 53-60
Simulating segregation in matrix blocks with an efficient finite-difference method: double-porosity reservoir, (Tech. Paper SPE 12271) SPERE Jul. 86, 403-413
Triangular diagrams: use in application of theory of coherence to surfactant flooding, (Tech. Paper SPE 12467) SPERE Jan. 86, 23-28

Physical Properties
Of coal seam: effects on gas drainage efficiency; parametric study, (Tech. Paper SPE 13366) SPERE Nov. 86, 633-646

Pilot Study
Glenn Pool surfactant flood: comparison of laboratory and observation-well data, (Tech. Paper SPE 12694) SPERE Nov. 86, 593-603
Surfactant/polymer: postflood evaluation test of North Burbank, (Tech. Paper SPE 12695) SPERE Jul. 86, 341-353

Polyacrylamide
Polymer/chromium(+3): experimental study of in-situ gelation in porous media, (Tech. Paper SPE 12638) SPERE Nov. 86, 583-592
Polymers
And micellar: symmetric, positive-definite formulation of 3D simulator, (Tech. Paper SPE 13504) SPERE Nov. 86, 622-632
And surfactant losses during flow through porous media, (Tech. Paper SPE 11779) SPERE May 86, 261-271
Polyacrylamide/chromium(+3): experimental study of in-situ gelation in porous media, (Tech. Paper SPE 12638) SPERE Nov. 86, 583-592
Retention and adsorption: in flow of polymer solutions through porous media, (Tech. Paper SPE 12942) SPERE Mar. 86, 113-118
Solutions: interpretation of screen-factor measurements, (Tech. Paper SPE 12285) SPERE May 86, 272-276
Surfactant pilot: postflood evaluation test of North Burbank, (Tech. Paper SPE 12695) SPERE Jul. 86, 341-353
Porosity
Double: efficient finite-difference method for simulating phase segregation in matrix blocks in reservoirs, (Tech. Paper SPE 12271) SPERE Jul. 86, 403-413
Dual: dual-permeability aquifers; and two interconnected single-porosity aquifers; new pseudosteady-state model for, (Tech. Paper SPE 12277) SPERE Sept. 86, 511-520
Effect of variations on waterflooding: stratified reservoirs with crossflow; author's reply to discussion of, (Rebuttal SPE 15191) SPERE Jan. 86, 74-75
Effect of variations on waterflooding: stratified reservoirs with crossflow; discussion of, (Discussion SPE 15043) SPERE Jan. 86, 73
In single-phase areal reservoirs: history matching by spline approximation and regularization, (Tech. Paper SPE 13931) SPERE Sept. 86, 521-534
Single: finite/infinite aquifer models; fast convolution method for water-influx calculations, (Tech. Paper SPE 12276) SPERE Sept. 86, 490-510
Porous Media
Effect of mixed-chain-length surfactants on fluid displacement by in-situ foaming process, (Tech. Paper SPE 10612) SPERE May 86, 253-260
Flow of polymer solutions through: polymer retention and adsorption, (Tech. Paper SPE 12942) SPERE Mar. 86, 113-118
In-situ gelation of chromium(+3)/polyacrylamide polymer: experimental study, (Tech. Paper SPE 12638) SPERE Nov. 86, 583-592
Of low permeability: analysis of flow of gas through, (Tech. Paper SPE 14705) SPERE Nov. 86, 647-653
Surfactant and polymer losses during flow through, (Tech. Paper SPE 11779) SPERE May 86, 261-271
Pressure Behavior
Equation for: compositional formulation, (Tech. Paper SPE 12244) SPERE May 86, 243-252
Minimum miscibility: generalized correlation; discussion of, (Discussion SPE 15845) SPERE Sept. 86, 535
Minimum miscibility: generalized method for predicting gas/oil miscibility, (Tech. Paper SPE 12346) SPERE Sept. 86, 463-473
On interfacial tension: experimental investigation, (Tech. Paper SPE 12124) SPERE Jul. 86, 321-328
Pressure Buildup
Observed: matching simulator wellblock pressures with; two-layer reservoirs, (Tech. Paper SPE 12155) SPERE Mar. 86, 183-193
Production
Rates: critical free-water; and gravity-drainage rates for multiwell systems, (Tech. Paper SPE 11596) SPERE Sept. 86, 363-370
Prudhoe Bay Field
See Alaska
Pseudocomponents
Of crude oils: calculation of high-temperature crude-oil/water/vapor separations using simulated distillation data, (Tech. Paper SPE 13075) SPERE Sept. 86, 483-489
Use in EOS calculations: simulation of compositional processes, (Tech. Paper SPE 12633) SPERE Sept. 86, 441-452

R

Radio
Frequency process: recovery of bitumen from tar sand deposits with, (Tech. Paper SPE 10229) SPERE Jan. 86, 85-94
Real Time Basis
Continuous: analytical extension of Dykstra-Parson vertical stratification discrete solution to a continuous real-time basis; discussion of, (Discussion SPE 14695) SPERE Mar. 86, 171-173
Continuous: analytical extension of Dykstra-Parsons vertical stratification discrete solution to a continuous real-time basis; author's reply to discussion of, (Rebuttal SPE 14873) SPERE Mar. 86, 174
Recovery Methods
Radio frequency process: bitumen from tar sand deposits, (Tech. Paper SPE 10229) SPERE Jan. 86, 85-94
Regression Analysis
EOX PVT program: application to laboratory data, (Tech. Paper SPE 11197) SPERE May 86, 277-299
Relative Permeability
Estimation from displacement experiments: an error analysis, (Tech. Paper SPE 12589) SPERE Mar. 86, 175-182
Streamtube functions: flashing steam/water flow in fractures, (Tech. Paper SPE 11686) SPERE Jul. 86, 371-377
Temperature-dependent: effect on oil displacement by thermal methods, (Tech. Paper SPE 11217) SPERE May 86, 230-242
Reservoir Simulation
Tracking sharp fronts in studies of tertiary oil-recovery pilots: numerical technique for, (Tech. Paper SPE 12240) SPERE Mar. 86, 194-202
Reservoirs
Double-porosity: efficient finite-difference method for simulating phase segregation in matrix blocks, (Tech. Paper SPE 12271) SPERE Jul. 86, 403-413
Sands: dispersion attendant sodium/hydrogen ion exchange, (Tech. Paper SPE 14708) SPERE Nov. 86, 607-610
Single-phase areal: history matching by spline approximation and regularization, (Tech. Paper SPE 13931) SPERE Sept. 86, 521-534
Two-layer: matching simulator wellblock pressures with observed buildup pressures, (Tech. Paper SPE 12155) SPERE Mar. 86, 183-193
Residual Oil
Waterflood: mobilization by miscible fluids, (Tech. Paper SPE 13216) SPERE Jul. 86, 354-362
Rumania
Videle field: development of in-situ combustion process on industrial scale, (Tech. Paper SPE 10709) SPERE Nov. 86, 556-564

S

Sand
- Reservoir: dispersion attendant sodium/hydrogen ion exchange, (Tech. Paper SPE 14708) SPERE Nov. 86, 607-610
- Tar deposits: recovery of bitumen with radio frequency process, (Tech. Paper SPE 10229) SPERE Jan. 86, 85-94

Sandstone
- Reservoir models: numerical simulation of, (Tech. Paper SPE 13135) SPERE Jul. 86, 423-429

Saturation
- And pressure equations: compositional formulation of, (Tech. Paper SPE 12244) SPERE May 86, 243-252
- Effect of variations on waterflooding: stratified reservoirs with crossflow; author's reply to discussion of, (Rebuttal SPE 15191) SPERE Jan. 86, 74-75
- Effect of variations on waterflooding: stratified reservoirs with crossflow; discussion of, (Discussion SPE 15043) SPERE Jan. 86, 73

Separation
- Crude-oil/water/vapor: calculation at high temperature using simulated distillation data, (Tech. Paper SPE 13075) SPERE Sept. 86, 483-489

Shale Oils
- Vapor/crude-oil separations: calculation at high-temperature using simulated distillation data, (Tech. Paper SPE 13075) SPERE Sept. 86, 483-489

Simulation
- CO2 displacement: effect of phase behavior on efficiency at low temperature; model studies with an equation of state, (Tech. Paper SPE 13116) SPERE Jul. 86, 414-422
- Compositional: 3D micellar/polymer simulator; symmetric, positive-definite formulation, (Tech. Paper SPE 13504) SPERE Nov. 86, 622-632
- Compositional: of pressure and saturation equations, (Tech. Paper SPE 12244) SPERE May 86, 243-252
- Cyclic steaming: of tar sands through hydraulically induced fractures, (Tech. Paper SPE 11684) SPERE May 86, 217-229
- Gas/oil miscibility: generalized method for predicting, (Tech. Paper SPE 12346) SPERE Sept. 86, 463-473
- Numerical: of sandstone reservoir models, (Tech. Paper SPE 13135) SPERE Jul. 86, 423-429
- Of compositional processes: use of pseudocomponents in EOS calculations, (Tech. Paper SPE 12633) SPERE Sept. 86, 441-452
- Of distillation data: using to calculate high-temperature crude-oil/water/vapor separations, (Tech. Paper SPE 13075) SPERE Sept. 86, 483-489
- Of electrical heating of Athabasca oil-sand formations: numerical results, (Tech. Paper SPE 13013) SPERE Jan. 86, 76-84
- Of interaction of reservoirs with finite-extent aquifers in dual-porosity: new pseudosteady-state model for, (Tech. Paper SPE 12277) SPERE Sept. 86, 511-520
- Of phase segregation in matrix blocks: efficient finite-difference method for double-porosity reservoirs, (Tech. Paper SPE 12271) SPERE Jul. 86, 403-413
- Study: thermal visbreaking of heavy oil during steam recovery processes, (Tech. Paper SPE 12783) SPERE Sept. 86, 474-482
- Thermal: practical control of timestep selection, (Tech. Paper SPE 12268) SPERE Mar. 86, 163-170
- Wellblock pressures: matching with observed buildup pressures; two-layer reservoirs, (Tech. Paper SPE 12155) SPERE Mar. 86, 183-193

Solution-Gas Drive
- Numerical simulation of sandstone reservoir models, (Tech. Paper SPE 13135) SPERE Jul. 86, 423-429

Solvent Flooding
- Leaching of tar sands: mathematical model for, (Tech. Paper SPE 12256) SPERE Nov. 86, 545-555

Stability
- Linear: analysis of immiscible displacement; Part 1 - simple basic flow profiles, (Tech. Paper SPE 12692) SPERE Jul. 86, 378-390

Steam Injection
- And water: wellbore heat transmission and pressure drop: simple solution technique, (Tech. Paper SPE 12939) SPERE Mar. 86, 148-162
- Cyclic: of tar sands through hydraulically induced fractures, (Tech. Paper SPE 11684) SPERE May 86, 217-229
- Strategies tested: thermal visbreaking of heavy oil studied during steam recovery processes, (Tech. Paper SPE 12783) SPERE Sept. 86, 474-482

Steamdrive
- Electrical heating of Athabasca oil-sand formations: numerical simulation results, (Tech. Paper SPE 13013) SPERE Jan. 86, 76-84

Stimulation
- Hydraulically induced fractures: cyclic steaming of tar sands through, (Tech. Paper SPE 11684) SPERE May 86, 217-229

Stratification
- Of reservoirs: effect of crossflow on waterflooding; author's reply to discussion of, (Rebuttal SPE 15191) SPERE Jan. 86, 74-75
- Of reservoirs: effect of crossflow on waterflooding; discussion of, (Discussion SPE 15043) SPERE Jan. 86, 73
- Vertical, Dykstra-Parsons: analytical extension of discrete solution to a continuous, real-time basis; author's reply to discussion of, (Rebuttal SPE 14873) SPERE Mar. 86, 174
- Vertical, Dykstra-Parsons: analytical extension of discrete solution to a continuous, real-time basis; discussion of, (Discussion SPE 14695) SPERE Mar. 86, 171-173

Sulfonates
- As steam diverting additives; laboratory study of foaming surfactants, (Tech. Paper SPE 12785) SPERE Jan. 86, 44-52

Surfactants
- And polymer losses during flow through porous media, (Tech. Paper SPE 11779) SPERE May 86, 261-271
- Flood pilot test: Glenn Pool field; comparison of laboratory data observation-well data, (Tech. Paper SPE 12694) SPERE Nov. 86, 593-603
- Flooding: note on application of theory of coherence, (Tech. Paper SPE 12467) SPERE Jan. 86, 23-28
- Foaming: as steam-diverting additives; laboratory study, (Tech. Paper SPE 12785) SPERE Jan. 86, 44-52
- Micelles: electrostatic approach to association of sodium and calcium, (Tech. Paper SPE 10921) SPERE Mar. 86, 119-130
- Mixed-chain-length: effect on fluid displacement in porous media by in-situ foaming surfactants, (Tech. Paper SPE 10612) SPERE May 86, 253-260
- Polymer pilot: postflood evaluation test of North Burbank, (Tech. Paper SPE 12695) SPERE Jul. 86, 341-353
- Structure: effect on phase behavior of alkylxylenesulfonate/crude-oil/brine systems, (Tech. Paper SPE 11770) SPERE Jan. 86, 53-60

Sweep Efficiency
- Areal: and vertical coverage; new correlations for calculation of, (Tech. Paper SPE 13945) SPERE Nov. 86, 604-606

T

Tar Sands
Cyclic steaming through hydraulically induced fractures, (Tech. Paper SPE 11684) SPERE May 86, 217-229
Recovery of bitumen from deposits with radio frequency process, (Tech. Paper SPE 10229) SPERE Jan. 86, 85-94
Solvent leaching of: mathematical model for, (Tech. Paper SPE 12256) SPERE Nov. 86, 545-555
Wilmington zone: CO2 injection project; laboratory study, (Tech. Paper SPE 12751) SPERE Jan. 86, 95-104
Temperature
Effect on interfacial tension: experimental investigation, (Tech. Paper SPE 12124) SPERE Jul. 86, 321-328
Low: effect of phase behavior on CO2 displacement efficiency; model studies with an equation of state, (Tech. Paper SPE 13116) SPERE Jul. 86, 414-422
Relative permeability dependent on: its effect on oil displacement by thermal methods, (Tech. Paper SPE 11217) SPERE May 86, 230-242
Tertiary Recovery
Oil pilots: numerical technique for tracking sharp fronts in studies of, (Tech. Paper SPE 12240) SPERE Mar. 86, 194-202
Testing
Postflood evaluation: North Burbank surfactant/polymer pilot, (Tech. Paper SPE 12695) SPERE Jul. 86, 341-353
Thermal Recovery of Oil
Effect of temperature-dependent relative permeability on displacement, (Tech. Paper SPE 11217) SPERE May 86, 230-242
Fireflooding, oxygen and air: laboratory investigation of sweep during, (Tech. Paper SPE 12676) SPERE Nov. 86, 565-574
In-situ combustion process: role of thermal analysis techniques, (Tech. Paper SPE 12677) SPERE Jul. 86, 329-340
In-situ combustion: development of process on industrial scale; Videle field, Rumania, (Tech. Paper SPE 10709) SPERE Nov. 86, 556-564
Simulation: practical control of timestep selection, (Tech. Paper SPE 12268) SPERE Mar. 86, 163-170
Steam recovery processes: thermal visbreaking of heavy oil during, (Tech. Paper SPE 12783) SPERE Sept. 86, 474-482
Steam-diverting additives: forming surfactants as; laboratory study, (Tech. Paper SPE 12785) SPERE Jan. 86, 44-52
Steamflooding and in-situ combustion: calculation of high-temperature crude-oil/water/vapor separations using simulated distillation, (Tech. Paper SPE 13075) SPERE Sept. 86, 483-489
Tracers
Flow behavior in reservoirs: mixing equations in various geometries, (Tech. Paper SPE 4585) SPERE Mar. 86, 203-208
Transient Flow
Gas through low-permeability porous media; analysis of, (Tech. Paper SPE 14705) SPERE Nov. 86, 647-653
Truncation Error
In thermal reservoir simulation: practical control of timestep selection, (Tech. Paper SPE 12268) SPERE Mar. 86, 163-170

U

Utah
Bitumen recovery from tar sand deposits: radio frequency process, (Tech. Paper SPE 10229) SPERE Jan. 86, 85-94

V

Vaporizing-Gas Drive
Compositional simulation of process: analysis and correlation of nitrogen and lean-gas miscibility pressure, (Tech. Paper SPE 13669) SPERE Nov. 86, 575-582
Vertical Coverage (Vertical Sweep Efficiency)
And areal sweep efficiency: new correlations for calculation, (Tech. Paper SPE 13945) SPERE Nov. 86, 604-606
Videle Field
See Rumania
Visbreaking
Thermal: of heavy oil during steam recovery processes, (Tech. Paper SPE 12783) SPERE Sept. 86, 474-482
Viscometer
Screen: interpretation of screen-factor measurements, (Tech. Paper SPE 12285) SPERE May 86, 272-276
Volumetric Efficiency
Of sweep during oxygen and air fireflooding: laboratory investigation, (Tech. Paper SPE 12676) SPERE Nov. 86, 565-574

W

Water
And steam injection: wellbore heat transmission and pressure drop: simple solution technique, (Tech. Paper SPE 12939) SPERE Mar. 86, 148-162
CO2/hydrocarbon mixtures: multicomponent phase behavior modeling; comparative study, (Tech. Paper SPE 11961) SPERE Jan. 86, 61-72
Flashing steam flow in fractures: streamtube relative-permeability functions for, (Tech. Paper SPE 11686) SPERE Jul. 86, 371-377
Free: critical production rates; and gravity-drainage rates for multiwell systems, (Tech. Paper SPE 11596) SPERE Sept. 86, 363-370
Hot: and chemical additive: displacement of a viscous oil by the combined injection of, (Tech. Paper SPE 12560) SPERE Jul. 86, 391-402
Water Influx
Calculations: fast convolution method for implementing single-porosity finite/infinite aquifer models, (Tech. Paper SPE 12276) SPERE Sept. 86, 490-510
Waterflooding
Alkaline: nonequilibrium description of, (Tech. Paper SPE 11213) SPERE Jan. 86, 29-43
Mobilization of residual oil by miscible fluids, (Tech. Paper SPE 13216) SPERE Jul. 86, 354-362
Numerical simulation of sandstone reservoir models, (Tech. Paper SPE 13135) SPERE Jul. 86, 423-429
Of stratified reservoirs: effect of crossflow; author's reply to discussion of, (Rebuttal SPE 15191) SPERE Jan. 86, 74-75
Of stratified reservoirs: effect of crossflow; discussion of, (Discussion SPE 15043) SPERE Jan. 86, 73
Vertical coverage and areal sweep efficiency: new correlations for calculation, (Tech. Paper SPE 13945) SPERE Nov. 86, 604-606
Welge's Method
Of shock front location: modification in Buckley-Leverett problem for nonzero initial condition; author's reply to discussion of, (Rebuttal SPE 15282) SPERE Jul. 86, 432
Of shock front location: modification in Buckley-Leverett problem for nonzero initial condition; author's reply to discussion of, (Rebuttal SPE 15915) SPERE Sept. 86, 535

Of shock front location: modification in Buckley-Leverett problem for nonzero initial condition; discussion of, (Discussion SPE 15193) SPERE Jul. 86, 431-432
Of shock front location: modification in Buckley-Leverett problem for nonzero initial condition; disussion of, (Discussion SPE 15797) SPERE Jul. 86, 430

Wellbore Mechanics
Heat transmission and pressure drop: steam/water injection and geothermal production; simple solution technique, (Tech. Paper SPE 12939) SPERE Mar. 86, 148-162

Wilmington Field
See California